

STATUS OF THE CLAIMS

Claims 1-16 are pending in the Application.

Claims 1-16 stand rejected.

Reconsideration of the present Application is respectfully requested in light of Applicant's Amendments and Remarks made hereinbelow.

CLAIM LISTING

Applicant respectfully submits the following claim listing and amendments to replace and supersede all previous claim listings:

1. (previously presented) A method for sending local information from a wireless handset to a Web server comprising the following steps:

(a) receiving a service request from a user of the wireless handset via a wireless data transmission passing through at least one wireless base station, wherein the service request comprises a type of local information needed to carry out the service request;

(b) acquiring the local information, from the wireless handset; and

(c) sending the local information to the Web server from the wireless handset via a uniform resource locator,

wherein the phone dialing process is modified to send the local information as part of the uniform resource locator.

2. (Original) A method as claimed in claim 1, wherein the service request received in step (a) also comprises the URL address of the Web server.

3. (Original) A method as claimed in claim 2, wherein step (c) comprises extracting the URL address from the service request, appending the local information to the URL address, and navigating a wireless browser to the URL address.

4. (Original) A method as claimed in claim 3, wherein the wireless browser is an HDML/WML browser.

5. (Original) A method as claimed in claim 1, wherein the local information comprises the geographic location of the handset.

6. (Original) A method as claimed in claim 5, wherein the geographic location is obtained from GPS data provided by a position determination system associated with the handset.

7. (previously presented) A method for using a wireless browser to send local information from a wireless handset to a Web server or to dial a telephone number comprising the following steps:

(a) receiving an input from a user of the wireless handset via a wireless data transmission passing through at least one wireless base station, wherein the input comprises either a service request containing a type of local information needed to carry out the service request, or a telephone number to be dialed;

(b) determining whether the input comprises a service request or a telephone number;

(c) if the input is a telephone number, terminating the browser and dialing the telephone number; and

(d) if the input is a service request, acquiring the local information from the wireless handset and sending the local information to the Web server from the wireless handset via a uniform resource locator,

wherein the phone dialing process is modified to send the local information as part of the uniform resource locator.

8. (Original) A method as claimed in claim 7, wherein the wireless browser is an HDML/WML browser.
9. (Original) A method as claimed in claim 8, wherein in step (a), if the input is a telephone number, the telephone number is inserted into the NUMBER field following an HDML/WML CALL command, and if the input is a service request, the type of local information needed and the URL address of the Web server is inserted into the NUMBER field following the HDML/WML CALL command.
10. (Original) A method as claimed in claim 9, wherein step (b) comprises determining whether the NUMBER field includes a local type information.
11. (Original) A method as claimed in claim 9, wherein step (b) comprises determining whether the NUMBER field includes a URL address.
12. (Original) A method as claimed in claim 9, wherein step (d) comprises extracting the URL address from the NUMBER field and appending the local information to the URL address, and navigating the browser to the URL address.
13. (Original) A method as claimed in claim 7, wherein the local data comprises the GPS position of the handset.
14. (previously presented) A wireless communications system comprising:
- a wireless handset comprising a transceiver for sending and receiving communications across a wireless communication network via a wireless data transmission passing through at least one wireless base station and an Internet browser configured to accept a user input

comprising either a telephone number to be dialed or a service request comprising a type of local information needed to carry out the request and a URL address; and

a Web server located at the URL address contained in the service request and in communication with the handset over the network, the Web server receiving the local information from the Internet browser and carrying out the service request based on the local information,

wherein the phone dialing process is modified to send the local information as part of the uniform resource locator.

15. (Original) A system as claimed in claim 14, and further comprising a position determination system for providing local information to the browser comprising the geographic location of the handset.

16. (Original) A system as claimed in claim 15, wherein the position determination system is a GPS receiver.